Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	604	access adj key and digital and error and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/03/25 10:56
S4	358	S3 and content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 09:52
S5	837	713/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 10:08
S6	604	713/189.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 09:36
S7	2569	713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 09:36
S8	4	S4 and (unauthorized adj copy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 09:54
S9	301	S4 and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 09:54
S10	205	S9 and error same access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 09:55

S11	183	S10 and protection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 09:55
S12	32	S11 and content same protection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 10:07
S13	117	S5 and error\$2 and copy and (content or data) and @ad<"20010714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 17:47
S14	23738	access and key and digital and error and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 14:59
S15	. 245	714/769.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 16:48
S16	0	Content adj Protection for digital media.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 17:47
S17	2	"6580682".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 07:58
S18	2	S17 and (access or key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 08:01

	· · · · · · · · · · · · · · · · · · ·		-			
S19	1	S18 and (number or cyclic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 08:03
S20	900	random adj number and digital and content and protection and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:04
S21	334	S20 and decrypt\$3 same number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:04
S22	311	S21 and access and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:05
S23	241	S22 and access same key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:05
S24	186	S23 and error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:06
S25	118	S24 and (unauthorized or pirate) and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:06
S26	76	stebbings.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:34

S27	22	stebbings and david.in.	US-PGPUB;	AND	OFF	2005/03/25 15:04
327	22	steppings and david.iii.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OH	
S28	2	"5412718".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:55
S29	2	"5513260".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 09:48
S30	2	"20020016919".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 09:48
S31	1	S30 and encrypt same decrypt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 09:49
S32	1	S30 and decrypt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:09
S33	1	S30 and decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:17
S34	1	S33 and transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:33

	1		T		ı ———	<del>                                     </del>
S35	2	"6715122".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:33
S36	0	S35 and cyclic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:33
S37	0	S30 and cyclic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:43
S38	2	"6684199".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:43
S39	. 0	S38 and cyclic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:43
S40	2733	cyclic adj redundancy and error adj correction and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:44
S41	66	S40 and authoriz\$5 and protection and digital and content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:46
S42	49	S40 and incorrect same cyclic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:46

S43	2	"6715122".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/03/17 13:38
S44	0	S43 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:38
S46	4	"9808180".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 14:24
S47	9	bruce.in. and sollish.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 14:24
S48	47	dennis.in. and howe.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:55
S49	2	"5841749".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 14:40
S50	0	key near (correction adj information) same (error\$2 or incorrect) and (disc or disk) and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:44
S51	18	key same (correction adj information) same (error\$2 or incorrect) and (disc or disk) and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 10:56

S52	2	"5838695".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:43
S53		key near (correction adj information) same (error\$2 or incorrect) and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:45
S54	491	705/57.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:45
S55	369	S54 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:45
S56	84	S55 and error\$2 near correct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:46
S57	68	S56 and key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:46
S58	7	error adj correction near (incorrect or intention\$4 or insert\$4) and key and (disk or disc) and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR <sub>.</sub>	OFF	2005/03/25 08:31
S59	25	copy\$4 near protect\$4 and key and error adj correction adj information and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 08:33

S60	25	trung.in. and le.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 08:57
S61	17	S60 and @ad<"20010718"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 08:58
S62	1	roger.in. and culhane.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 08:58
S63	2	"6311305".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:05
S64	1	S63 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:05
S65	9	(identifier or serial adj number or authenticator) same (correction adj information) same (error\$2 or incorrect) and (disc or disk) and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:00
S66	18	(identifier or serial adj number or authenticator) same (correction adj information) same (error\$2 or incorrect) and @ad<"20010717" not S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:05
S67	122	(identifier or serial adj number or authenticator or key) same (correction adj information) and @ad<"20010717" not S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:17

S68	12	S67 and ((cop\$4 near protect\$4) or pira\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:06
S69	110	S67 not S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:07
S70	23	S69 and (disc or disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:07
S71	2384	(identifier or serial adj number or authenticator or key) same (error\$2 near correct\$4) and @ad<"20010717" not S65 not S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:18
S72	69	(identifier or serial adj number or authenticator or key) near (error\$2 near correct\$4) and @ad<"20010717" not S65 not S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:18
S73	2	"6684199".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:23
S74	1	S73 and track\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:23
S75	0	hash\$2 near random adj number\$2 near key\$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:36

S76	10	hash\$2 near number\$2 near key\$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:38
S77	0	hash\$2 near number\$2 near key\$2 same decrypt\$4 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:37
S78	289	decrypt\$4 near key same hash\$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:38
S79	131	S78 and random adj number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:39
S80	59	S79 and random adj number same hash\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:05
S81	7	hash\$2 near random same decrypt\$3 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:10
S82	143	hash\$2 near decrypt\$3 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:10
S83	23	hash\$2 near decrypt\$3 same number\$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:13

			1			
S84	1	"6832319".pn. and decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:49
S85	2	"6832319".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:49
S86	1	S85 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:49
S87	2	"6311305".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:56
588	0	S87 and cyclic adj redundancy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:56
S89	0	"6684199".pn. and cyclic adj redundancy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/03/25 15:04
S90	4254	713/193.ccls. 713/189.ccls. 713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:38
S91	111	S90 and @ad<"20010717" and @pd>"20041103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:49

S92	2	"5940854".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 07:59
S93	8521	key\$2 with error\$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:00
S94	0	key\$2 with error adj correct\$3 with intentional adj error\$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:01
S95	0	key\$2 with error adj correct\$3 with intentional\$3 adj error\$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:01
S96	0	key\$2 with correct\$3 with intentional\$3 adj error\$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:01
S97	1578	key\$2 with correct\$3 with error\$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:02
S98	8	key\$2 with correct\$3 with error\$2 with intentional\$3 and @ad<"20010717".	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:04
S99	44	key\$2 with correct\$3 with error\$2 with (intentional\$3 or predetermin\$3) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:08

5/24/2006 3:45:49 PM C:\Documents and Settings\kschubert\My Documents\EAST\Workspaces\Content Protection.wsp Page 12

S10 0	9	key\$2 with (error adj correct\$3 or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with (intentional\$3 or predetermin\$3) near2 error\$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:10
S10 1	1	key\$2 with (error adj correct\$3 or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with (intentional\$3 or predetermin\$3) near2 error\$2 and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:12
S10 2	6	key\$2 same (error adj correct\$3 or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with (intentional\$3 or predetermin\$3) near2 error\$2 and @ad<"20010717" not \$98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:16
S10 3	813	(error adj correct\$3 or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with (intentional\$3 or predetermin\$3) near2 error\$2 and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:17
S10 4	912	key with (error adj correct\$3 or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:18
S10 5	3	key with (error adj correct\$3 or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with insert\$3 near2 error\$2 and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:42
S10 6	3	"2001014794".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:39
S10 7	2	(yabuno near2 hiroyuki).in. and (shinichi near2 tanaka).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:40

S10 8	572	key with (error adj correct\$3 or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with error\$2 and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:45
S10 9	11	key with (error adj correct\$3 or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with error\$2 same (cop\$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:46
S11 0	12	key with (error adj correct\$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with error\$2 same (cop\$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:02
S11 1	1	key with (error adj correct\$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with (intentional\$4 or false or inaccurate or incorrect) same (cop\$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:03
S11 2	5	key same (error adj correct\$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with (intentional\$4 or false or inaccurate or incorrect) same (cop\$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:03
S11 3	54	key same (error adj correct\$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with (error\$3) same (cop\$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:09
S11 4	2224	(error adj correct\$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with (error\$3) same (cop\$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:14
S11 5	2	cipher with (error adj correct\$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with (error\$3) same (cop\$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:10

			,			
S11 6	6	(error adj correct\$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with intentional\$3 near2 (error\$3) same (cop\$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:29
S11 7	13	(error adj correct\$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with predetermined near2 (error\$3) same (cop\$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:22
S11 8	5	(error adj correct\$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav\$2) with insert\$3 near2 (error\$3) same (cop\$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:22
S11 9	0	"6715122".pn. and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:26
S12 0	12	"6353890".pn. "5761301".pn. "5659613".pn. "5548595".pn. "5408531".pn. "5148431".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:30
S12 1	1	"6832319".pn. and random	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 17:56
S12 2	1	"6832319".pn. and hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 17:58
S12 3	2	"6832319".pn. and identification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:10

S12 4	843	random adj number with identification and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:01
S12 5	236	S124 and ("713"/\$.ccls. or "380"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:05
S12 6	0	S124 and ("713"/\$.ccls. or "380"/\$.ccls.) with (disc or disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:02
S12 7		S124 and ("713"/\$.ccls. or "380"/\$. ccls.) same (disc or disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:02
S12 8	0	S124 and ("713"/\$.ccls. or "380"/\$. ccls.) with assign\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:02
S12 9	129	S124 and ("713"/\$.ccls. or "380"/\$.ccls.) and random adj number same (authenticat\$3 or security)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:05
S13 0	2	"6832319".pn. and media adj identification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:34
S13 1		"5940854".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:34

S13 2	1968	713/193.ccls. 713/189.ccls. 713/200.ccls. and @ad<"20010717" and @pd>"20050325"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:38
S13 3	. 12441	(error adj correct\$3 or ecc or crc or cross adj interleav\$3 or cyclic adj redundanc\$3) with errors and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 08:43
S13 4	200	(error adj correct\$3 or ecc or crc or cross adj interleav\$3 or cyclic adj redundanc\$3) with errors same key and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/12/19 08:43
S13 5	1566	(error adj correct\$3 or ecc or crc or cross adj interleav\$3 or cyclic adj redundanc\$3) with error\$2 same key and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 08:36
S13 6		(error adj correct\$3 or ecc or crc or cross adj interleav\$3 or cyclic adj redundanc\$3) with errors same key and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 08:46
S13 7	4	(error adj correct\$3 or ecc or crc or cross adj interleav\$3 or cyclic adj redundanc\$3) with errors same key same (copy\$3 or copies) and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 08:49
S13 8	203	(error adj correct\$3 or ecc or crc or cross adj interleav\$3 or cyclic adj redundanc\$3) with errors same (copy\$3 or copies) and @ad<"20010717" not S137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:23
S13 9	19	(error adj correct\$3 or ecc or crc or cross adj interleav\$3 or cyclic adj redundanc\$3) with errors same (copy\$3 or copies or copied) and @ad<"20010717" not \$137 not \$138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:17

		·	<b>-</b>			
S14 0	6	(error adj correct\$3 or ecc or crc or cross adj interleav\$3 or cyclic adj redundanc\$3) same corrupt\$3 near3 key and @ad<"20010717" not S137 not S138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:19
S14 1	5	error\$2 with corrupt\$3 near3 key and @ad<"20010717" not S137 not S138 not S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:20
S14 2	. 3	error\$2 with distort\$3 near3 key and @ad<"20010717" not S137 not S138 not S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ÖR	OFF	2005/12/19 09:21
S14 3	. 5	error\$2 same distort\$3 near3 key and @ad<"20010717" not S137 not S138 not S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2005/12/19 09:21
S14 4	22	error\$2 same corrupt\$3 near3 key and @ad<"20010717" not S137 not S138 not S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:21
S14 5	17	error\$2 same corrupt\$3 near3 key and @ad<"20010717" not S137 not S138 not S140 not S141	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:21
S14 6	6	(error adj correct\$3 or ecc or crc or cross adj interleav\$3 or cyclic adj redundanc\$3) with (copy\$3 or copies) with key and @ad<"20010717" not S137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	.OR	OFF	2005/12/19 09:23
S14 7	26	(error adj correct\$3 or ecc or crc or cross adj interleav\$3 or cyclic adj redundanc\$3) same (copy\$3 or copies) with key and @ad<"20010717" not \$137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:23

			•			
S14 8	10	(error adj correct\$3 or ecc or crc or cross adj interleav\$3 or cyclic adj redundanc\$3) with (appl\$4 or modif\$3) near3 key and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 08:41
S14 9	. 1	(error adj correct\$3 or ecc or crc or cross adj interleav\$3 or cyclic adj redundanc\$3 or correct\$3 adj (code or information)) with (appl\$4 or modif\$3) near3 key and @ad<"20010717" not \$148	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2006/05/24 08:41
S15 0	3	(error adj correct\$3 or ecc or crc or cross adj interleav\$3 or cyclic adj redundanc\$3 or correct\$3 adj (code or information)) with (appl\$4 or modif\$3 or alter\$3) near3 key and @ad<"20010717" not \$148 not \$149	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/05/24 09:18
S15 1	619	(prevent\$3 or inhibit\$3 or protect\$3) near5 cop\$4 near5 key and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 09:22
S15 2	3	S150 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 09:18
S15 3	2	S150 and error\$2 near3 correct\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 09:18
S15 4	17	(prevent\$3 or inhibit\$3 or protect\$3) near5 cop\$4 near5 key same (ecc or crc or error\$2) and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/05/24 09:38
S15 5	49	(prevent\$3 or inhibit\$3 or protect\$3) with cop\$4 with key same (ecc or crc or error\$2) and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 09:39

		•				
S15 6	48	(prevent\$3 or inhibit\$3 or protect\$3) with cop\$4 with key same (ecc or crc or error\$2) and @ad<"20010717" not \$148	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 09:39
S15 7	32	(prevent\$3 or inhibit\$3 or protect\$3) with cop\$4 with key same (ecc or crc or error\$2) and @ad<"20010717" not S154	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/05/24 09:44
S15 8		"6311305".pn. and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 09:50
S15 9	176	(incorrect or erroneous) adj (ecc or error adj correction or crc or circ or cross adj interleav\$3) and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 09:52
S16 0	1	(incorrect or erroneous) adj (ecc or error adj correction or crc or circ or cross adj interleav\$3) same cop\$4 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR -	,OFF	2006/05/24 09:53
S16 1	9	(incorrect or erroneous or flaw\$3) near2 (ecc or error adj correction or crc or circ or cross adj interleav\$3) same cop\$4 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/05/24 09:53